

## Product Data Sheet

# Membraloop™

## Flexible Water Ultra Filter

<b>PRODUCT DESCRIPTION</b>	Membraloop™ is an innovative, universally applicable ultrafiltration unit for raw water and drinking water treatment. Membraloop™ contains the PFAS-free, C-MEM™ hollow fibre membrane for the removal of particulate turbidity, bacteria and viruses. It can be connected directly to tap water, wells, springs or other suitable raw water sources. Typical applications are yachts, mobile homes, holiday homes, tiny houses, disaster relief, etc.	
<b>C-MEM™ MEMBRANE</b>	Material:	HD-PE (High Density-Polyethylene)
	Medium pore size:	20 nm (0.02 µm)
	Dimensions:	Ø: 0.4 / 0.2 mm (AD / ID)
	Bundle:	1400 fibres
	Filter area per bundle:	3 m <sup>2</sup>
<b>PRODUCT SPECIFICATIONS</b>	Weight:	2.2 kg
	Dimension:	L: 1100 mm x Ø: 50mm, Bending radius ≥110 mm
	Connections:	¾" External thread (raw water) ¾" External thread (clean water)
<b>FEED REQUIREMENTS</b>	Temperature range:	4 – 40°C / 39 - 104°F
	Solids Content:	< 10 mg/l
	Dissolved substances:	< 1,000 mg/l
<b>OPERATION INFORMATION</b>	Flow*:	0.8 l/min (gravity driven, 2 meters) 8 l/min (pump driven, 2 bar) * dependent on degree of contamination and temperature
	Pressure:	0.2 – 6.0 bar
	Max. transmembrane pressure:	0.8 bar
	Power supply:	not needed
	Storage conditions:	max. 40°C, UV and weatherproof



Membraloop™ is a European cooperation product

Version: April 2026

**Marketing / Development**  
HansaNoord V.O.F.  
Vuurtorenweg 16  
8531 HJ Lemmer  
**Netherlands**  
Tel.: +31 (0) 514 / 593196  
Mail: info@membraloop.eu

**Production/Development**  
SFC Umwelttechnik GmbH  
Julius-Welser-Str. 15  
5020 Salzburg  
**Austria**  
Tel.: +43 (0) 662 / 43 49 02  
Mail: office@sfcu.at

**Engineering / Development**  
Zepke Consulting  
Raestrup 7  
48291 Telgte  
**Germany**  
Tel.: +49 (0) 2504 / 9859281  
Mail: frank.zepke@membraloop.eu

## PRODUCT HIGHLIGHTS

- Removal of particulate turbidity, bacteria and viruses up to 99.9999% (log 6 / log 5)
- EN ISO 9308 removal-tests based on Escherichia coli (ATCC 8739), Enterococcus Faecium (ATCC 19433), Brevundimonas diminuta (ATCC 19146) and Pseudomonas Phage Phi 6 (ATCC 59135)
- Membrane and other materials are in accordance with European Regulation EU No. 10/2011 and No. 1935/2004 for the use with drinking water
- Leak test of the unit in accordance with ASTM D 6908:2006; 'Standard Practice for Integrity Testing of Water Filtration Membrane Systems' passed
- Simple assembly/disassembly in a bigger system due to standard threaded connections
- No regular filter replacement needed. Service life of up to 10 years
- Low maintenance, easy cleaning, intervals dependent on degree of contamination
- Pre-pressure- or pump-driven operation possible (max. 60 m / 6 bar)
- Designed and made in Europe



*The information contained in this document is deemed to be accurate and reliable. Nevertheless, it should not be construed as conferring any warranty or guarantee of performance. Dimensions and membrane geometry are subject to modification due to production and process enhancements. No responsibility, obligation, or liability is assumed for any outcomes or damages resulting from the utilization of the unit.*

---

Membraloop™ is a European cooperation product

Version: April 2026

**Marketing / Development**  
HansaNoord V.O.F.  
Vuurtorenweg 16  
8531 HJ Lemmer  
**Netherlands**  
Tel.: +31 (0) 514 / 593196  
Mail: info@membraloop.eu

**Production/Development**  
SFC Umwelttechnik GmbH  
Julius-Welser-Str. 15  
5020 Salzburg  
**Austria**  
Tel.: +43 (0) 662 / 43 49 02  
Mail: office@sfcu.at

**Engineering / Development**  
Zepke Consulting  
Raestrup 7  
48291 Telgte  
**Germany**  
Tel.: +49 (0) 2504 / 9859281  
Mail: frank.zepke@membraloop.eu